



Catalogue:

SERIE 900 KORE

Chapter:

RANGES 900 KORE

Article :

C-E920 380...415V 3N

Code: 19031224

DIMENSIONS AND WEIGHTS		Net dimensions	Packed
Length	mm	400,00	1.022,00
Depth	mm	930,00	440,00
Height	mm	290,00	535,00
Weight	kg	40,00	55,00
Volume	m3	0,11	0,24
ELECTRICITY	380415V	50/60Hz	
	Power		8,00 kW
Connections	230 V. 1+N+T	2X2,5 + T	
	230 V. III+T	3X10+T - 63 A	
	400 V. III+N+T	4X1,5MM2+T	
		,	
<u>GAS</u>	Not necessary		

WATER Not necessary

STEAM Not necessary

<u>AIR</u> Not necessary **DESCRIPTION**

2-HOT PLATES ELECTRIC BOILING TOP, C-E920

Electric top plates are adequate for a variety of containers such as pans, saucepans, etc.

Depending on the container, you may stew, boil, make soup, legumes,

scrambled eggs, fried dishes.

2 mm stainless AISI-304 steel embedded top with rounded edges for easy cleaning.

Laser cut and automatic welding for a perfect side to side adjustment of modules with square angle finish.

4 kW power 300 x 300 mm cast iron heating plates tight adjusted to the

embedded top stove. Number of plates: 2.

Power adjustment by 7-position knob. Independent safety thermostat for

each plate.

Inner fan to reduce the temperature of the components.

Water-tight and protecting-support controls.

High temperature protector for the chimney made of enamelled cast iron.

Front access to components.

According to European standards for components and panels temperature, efficiencies and combustion, and sanitary regulations (EN-60335 and EN-203)

IPX5 grade water protection equipment.

Maximum power: 8.0 kW Dimensions: 400 x 930 x 290 mm.

SOUND LEVEL < 65,00 db

INSTALLATION - CONNECTIONS Ø

► ELECTRICITY









SI





Catalogue :

SERIE 900 KORE

Chapter:

RANGES 900 KORE

Article:


C-E920 380...415V 3N

Code : 19031224


SCHEMA - DIMENSIONS

1)

C-E920



C-E940



- E. Conexión eléctrica
- Mando placas M

Electrical connection M plates control







