



Catalogue
FOOD SERVICE
Chapter
REFRIGERATION

Specific model
CUN-11G 230V 1N 50Hz

19089454

23/03/2022

DENOMINATION:

Freezer cabinet - Concept Gastronorm with 1 door, at 50Hz.

DESCRIPTION :

- Structure built with AISI-304 stainless steel.
- 60 mm, 40 kg/m³ injected polyurethane insulation.
- Embedded inner tray slides. Storage trays at 23 different levels 55 mm from each other.
- Forced draught cooling system with hermetically sealed compressor.
- Copper piping and aluminium flaps evaporator.
- Digital display for electronic and digital control of temperature and defrosting.
- Opened door delay alarm.
- Self-closing and stay open doors. When opened less than 90° they close by themselves. When opened more than 135° they stay open.
- Built-in drainage to get rid of waste liquids inside the unit.
- Embedded bottom and curved panels inside for easy cleaning and maintenance.
- Height adjustable stainless steel legs.
- Working temperature: from 0 °C to +8 °C (refrigerators) and from -18 °C to -22 °C (freezers).
- Tested in climatic class 4..
- Inner LED lights with power switch (in refrigerated cabinets and now also in freezing units).

Freezer cabinet

Visibility: vertical LED light for greater visibility.

POSSIBLE OPTIONS :

- Stainless Backing
- Wheels Kit (Factory Assembly)
- British plug
- Locks
- Opposite Opening
- Pedal
- Remote group

STANDARD OPTIONS :

- Door frame resistance


POSSIBLE ACCESSORIES :

- REFRIGERATION
- ACCESSORIES
- GASTRONORM GRIDS

SUPPLIED ACCESSORIES:

- 12037958 GN-2/1 GRID made in Epoxi (650x530) 3

DIMENSIONS



X Width	653 mm	X Gross width	730 mm
Y Depth	842 mm	Y Gross depth	880 mm
Z Height	2040 mm	Z Gross height	2063 mm
Net Weight	152,0 kg	Gross Weight	160,0 kg
Net volume	1,122 m ³	Gross volume	1,325 m ³

ELECTRICITY TECHNICAL SPECIFICATIONS

Amperage (A)	3,5 A
Electric frequency	50Hz
Electric power	0,471 kW
Voltage	230V - 1N

GAS TECHNICAL SPECIFICATIONS

Gas type	R-290
----------	-------

COLD TECHNICAL SPECIFICATIONS

Annual elec. consumption	2714,00 kWh
Clasif. Energy efficiency	D
Climate class	4
Cooling gas load	150,000 g
Energy Efficiency Index	74,90 %
Frozen net.vol	437 L
Gross internal volume	543 L
Model Type	Vertical cabinet
Power consumption 24h	7,44 kWh
Refrigeration power	0,535 kW

CONNECTIONS TECHNICAL SPECIFICATIONS

Single-phase 230V wiring	2X1+T-4A
--------------------------	----------

OTHERS

Condensation system	Vent.
---------------------	-------



Catalogue
FOOD SERVICE
Chapter
REFRIGERATION

Specific model
CUN-11G 230V 1N 50Hz

19089454

23/03/2022

